School Bus Standard Mirrors







Omnivision Convex, Low Dome and High Dome Replacement Mirror Heads













PART N	IO. DESCRIPTION
501D	5" diameter convex mirror head. Center stud, Black.
505D	5" diameter convex mirror head with arm and clamp. Center stud, Black.
601D	6" diameter convex mirror head. Center stud, Black.
601DOF	6" diameter convex mirror head. Off center stud, Black.
605D	6" diameter convex mirror. Center stud, with arm and clamp. Black.
605DOF	6" diameter convex mirror. Off center stud, with arm and clamp. Black.
801DSP	8" diameter convex mirror. Center stud, Black. Fleet pack.
801DSP	OF 8" diameter convex mirror. Off center stud, Black. Fleet pack.
801LDP	8" diameter low dome acrylic mirror. Center stud, Black.
801LDP	OF 8" diameter low dome acrylic mirror. Off center stud, Black.
801DP	8" diameter high dome acrylic mirror. Center stud, Black.
801DPO	F 8" diameter high dome acrylic mirror. Off center stud, Black.
801D	8" diameter convex mirror. Center stud, Black.
801DOF	8" diameter convex mirror. Off center stud, Black.
805D	8" diameter convex mirror head with arm and clamp. Center stud, Black
1001D	10" diameter low dome acrylic mirror. Center stud, Black.

Crossview Mirror Arms & Swing Away Tiger Grip™ Bases



PART N	D. DESCRIPTION
40	Arm for crossview mirror. Tunnel mount system.
43	Arm for crossview mirrors. Ball stud system, generic.
45	Arm for crossview mirrors. Ball stud system, generic.
19U	Universal base for flat and mildly curved surfaces. Used on post-'92 Ford cutaways and pre-'97 GM cutaways.
19G	Aluminum base for flat surfaces. Used on GM cutaways.
19A	Aluminum base with 7" radius for curved surfaces. Used on Type "D" (transit style) buses and post-'96 GM conventionals
2000NA	Navistar base. Used on post-'90 Navistar conventionals. Replaces No. 19 Nav.
19FL	Ford left side base. Used on pre-'95 Ford conventionals and on Freightliner conventionals.
19FR	Ford right side base. Used on pre-'95 Ford conventionals and on Freightliner conventionals.
19INT	International base. Used on pre-'90 International conventionals.
19FL95	Ford left side base. Used on post-'95 Ford conventionals.
19FR95	Ford right side base. Used on post-'95 Ford conventionals.
8015L	Heavy duty, rigid mount. For left side mounting.
8015R	Heavy duty, rigid mount. For right side mounting.
8016	Telescoping tripod mount. Fully adjustable.

Assorted Mounting Brackets & Arms / Stick-On Spot Mirrors





3780W/3	Replacement gooseneck. 90° White
3780B/3	Replacement gooseneck. 90° Black
716/Kit	West Coast conversion kit. Includes one top, one bottom and clamps.
005	Arm and clamp for 5" and 6" mirrors.
006	Attaching clamp for 887 or 888 heads. 3/4" diameter arm.
007	Attaching clamp for 887 or 888 heads. 1" diameter arm.
800	Arm and clamp for 8" mirrors.
009	Bracket for second mirror head with 90° angle.
010	Bracket for second mirror head with 63° angle.
011	Bracket for second mirror head, straight.
200	2" convex stick-on spot mirror.
300	3" convex stick-on spot mirror.
375	3 3/4" convex stick-on spot mirror.
455	4" x 5 1/2" convex stick-on spot mirror.
545	5" twist arm. Black.
547	7" twist arm. Black.
549	9" twist arm. Black.
535	11"-17" telescoping arm. Black.
537	13"-19" telescoping arm. Black.







No. 200 No. 300

No. 375

No.455



Dynamic Duo Mirrors









Please note:

All mirrors in this catalog can be heated. Kindly ask for details.



PART NO.	DESCRIPTION
006	Attaching clamp for 887 or 888 heads. 3/4" diameter arm.
007	Attaching clamp for 887 or 888 heads. 1" diameter arm.
3788/3	Replacement gooseneck. Black. With 85° angle. Used on 3788 mirror assembly.
3788	7 1/2" x 10 1/2" flat mirror with Universal Tiger Grip™ and gooseneck bracket. Black. (Replacement head, No. 888B).
3788D	7 1/2" x 10 1/2" convex mirror with Universal Tiger Grip™ and gooseneck bracket. Black. (Replacement head, No. 888DB).
888B	7 1/2" x 10 1/2" flat mirror head. PVC rim. Black.
888DB	7 1/2" x 10 1/2" convex mirror head. PVC rim. Black.
888BH	7 1/2" x 10 1/2" flat mirror head. PVC rim. Heated. Black.
888DBH	7 1/2" x 10 1/2" convex mirror head. PVC rim. Heated. Black.

Standard Exterior Rearview Mirrors









		_		_
N	\cap	Я	1	7

PART NO.	DESCRIPTION
616SP	6" x 16" Wayne Type mirror head with clamps. Black.
712	7" x12" Overhang mirror for Carpenter bus. Black.
716HE	4 1/2" x 15" Heating element. 12 volts.
716AL	6" x 16" Aluminum West Coast mirror head.
716ALH	6" x 16" Aluminum West Coast mirror head. Heated.
716SW	7" x 16" West Coast mirror head. White.
716SB	7" x 16" West Coast mirror head. Black.
716SWH	7" x 16" West Coast mirror head. White. Heated.
716SBH	7" x 16" West Coast mirror head. Black. Heated.
817	8" x 17" Wayne type mirror head with clamps. PVC rim. Black
887	7" x 7" convex mirror head. Black.

Please note:

All mirrors in this catalog can be heated. Kindly ask for details.







No. 716/HE





Bus and Van Double Mirror Systems/Rear Mounted Mirror Assemblies



PART NO.	DESCRIPTION
3740B, W or SSP	Rear mount. Rigid tripod with 8" low dome acrylic mirror. Black, white or stainless steel.
3797B, W or SSP	Step van rear mount with 11" low dome acrylic mirror. Black, white or stainless steel.
004	Stainless steel attaching clamp for 660 and 6610 mirror heads.
610	Pre-set kit. Locking swivel mechanism for 6620 and 6621
611	Non pre-set kit. Free swivel for 6620 and 6621 mirror systems.
660PB, PW or PSSP	6" x 6 1/2" Mirror head with flat glass, black, white or stainless steel.
660PDB, PW or PSSP	6" x 6 1/2" Mirror head with replaceable convex glass, black, white or stainless steel.
6610PB, PW or PSSP	6" x 6 10" Mirror head with replaceable flat glass, black, white or stainless steel.
6620B, W or SSP	Mirror system with 660 and 660D mirror heads, black white or stainless steel. Specify left or right.
6620FB, FW or FSSP	Mirror system for Ford with 660 and 660D mirror heads, black white or stainless steel. Specify left or right.
6621B, W or SSP	Mirror system with 6610 and 660D mirror heads, black white or stainless steel. Specify left or right.

We manufacture all styles of dual mirror systems for the OEM's. We continue to stock the older style "D" arms for double mirror systems on Type "A", "C" and "D" buses. Call us for the correct part number.





144-31 91st Avenue, Jamaica, New York 11435–4397 • (718) 526-2601 • FAX (718) 297-0323 www.roscomirrors.com